


gatekeeper recover rrq rcf rrj

Search

[Advanced Search](#)

Web

Results 1 - 10 of about 1,160 for gatekeeper recover rrq rcf rrj. (0.49 seconds)

[Show options...](#)1. [Cisco IOS Voice Troubleshooting and Monitoring -- H.323 Gatekeeper ...](#)

The **RRJ** is the result of a no-zone prefix defined in the **gatekeeper**. An endpoint that detects the failure of its **gatekeeper** can safely **recover** from that ... the gateway (upon not hearing an **RCF** or **RRJ** for its lightweight **RRQ**) tries ...

[docwiki.cisco.com/.../Cisco_IOS_Voice_Troubleshooting_and_Monitoring_..._H.323_Gatekeeper_Troubleshooting - Cached - Similar](#)

2. [Ecosystem Gatekeeper Interoperability Enhancements \[Cisco IOS ...](#)

This document describes the Ecosystem **Gatekeeper** Interoperability during the **gatekeeper** confirmation (GCF) and registration confirmation (**RCF**) phases. ... **RRJ**—A RAS message sent as a registration rejection. **RRQ**—A RAS message sent ...

[www.ciscosystems.ch/en/US/docs/ios/12_1t/12_.../djarjrrj.html - Cached](#)

3. [H.225: Call Signaling & RAS \(Registration Admission Status\) Overview](#)

RegistrationRequest (**RRQ**). Request from a terminal or gateway to register with a **gatekeeper**. **Gatekeeper** either confirms or rejects (**RCF** or **RRJ**). ...

[www.javvin.com/protocol/h225.html - Cached - Similar](#)

4. [GNU Gatekeeper - Manual Chapter 13](#)

Jun 26, 2002 ... The **gatekeeper** receives a RegistrationRequest (**RRQ**) and responds with a RegistrationConfirm (**RCF**). **RRJ**|P|Aliases|Endpoint_Type|RejectReason ...

[www.gnu.org/gnugk-manual-13.html - Cached - Similar](#)

5. [Gatekeeper Transaction Message Protocol Interface Resiliency ...](#)

Cisco **Gatekeeper** External Interface Reference, Version 3.1 RESPONSE **RRQ** Received = 0. RESPONSE **RCF** Received = 0. RESPONSE **RRJ** Received = 0 ...

[www.cisco.com/en/US/docs/ios/12_2t/12_2t8/.../tjtkire.html - Cached](#)

6. Cisco CallManager Administration Guide, Release 3.3(2) ...

The system must send a keepalive **RRQ** to the **gatekeeper** before the **RRQ** Time to Live expires. ... The **gatekeeper** may confirm (**RCF**) or deny (**RRJ**) the request. ...
www.ciscosystems.org/roten/US/docs/voice.../b06gatkp.html - Cached

7. H.323 back-end services for intra-zone and inter-zone mobility ...

An H.323 **gatekeeper** (GK) needs to have certain additional features to However, the extended **RRQ/RCF/RRJ** messages shall be used as described in my ...
www.patentstorm.us/patents/6947432/description.html

8. Arrangement for distributing and dispatching traffic in a network ...

by K Kliand - 2004 - Cited by 2 - Related articles - All 2 versions
The lightweight **gatekeeper** replies with Registration Confirm (**RCF**) including ... requests (**RRQ**) from endpoints, but should always reject them (**RRJ**) with reason ... Further the **gatekeepers** are able to **recover** automatically after a crash, ...
www.freepatentsonline.com/6738383.html

9. voip vs pstn

Dec 11, 2009 ... H.323 – H.225 RAS Messages • **Gatekeeper**. Discovery Registration Registration. • GRQ, CCF, GRJ • Terminal/Gateway. • **RRQ, RCF, RRJ** ...
www.scribd.com/doc/23991652/voip-vs-pstn - Cached

10. Distributed **Gatekeeper** Architecture for H.323-based Multimedia ...

by RR Roy - Cited by 5 - Related articles
gatekeeper discovery (GRQ, GCF/GRJ), endpoint registration (**RRQ, RCF/RRJ**), endpoint location (LRQ, LCF/LRJ), admission (ARQ, ACF/ARJ), bandwidth ...
doi.ieeeecomputersociety.org/10.1109/10.1109/LCN.1999.801999

Google
1 2 3 4 5 6 7 8 9 10 Next

gatekeeper recover rrq rcf rrj

Search

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)